



EmergencyKT: Ingestion



EmergencyKT: Ingestion



APPENDIX

MAJOR TOXIDROMES

Toxin	VS	Mental status	Pupils	Other features
Anticholinergic	Tachycardia, fever	Delirium	Increased	Dry, flushed, psychosis, seizures
Cholinergic	Any	Normal or depressed	Miosis	Wet – salivation, lacrimation, urination, diarrhea, bronchorrhea, paralysis
Sedative-hypnotics	Hypotension, bradycardia, bradypnea	Depressed or agitated	--	Hyporeflexia, ataxia
Sympathomimetics	Hypertension, tachycardia, tachypnea, fever	Agitated	Increased	Tremor, seizures, diaphoresis
Opioids	Hypotension, bradycardia, bradypnea	Depressed	Decreased	Hyporeflexia

REFERENCES

- American Academy of Clinical Toxicology, European Association of Poison Centres and Clinical Toxicologists. Position paper: gastric lavage. *Clinical Toxicology*. 2004;42(7): 933-943.
- American Academy of Clinical Toxicology, European Association of Poison Centres and Clinical Toxicologists. Position paper: ipecac syrup. *Clinical Toxicology*. 2004;42(2): 133-143.
- American Academy of Clinical Toxicology, European Association of Poison Centres and Clinical Toxicologists. Position paper: single-dose activated charcoal. *Clinical Toxicology*. 2005;43: 61-87.
- American Academy of Clinical Toxicology, European Association of Poison Centres and Clinical Toxicologists. Position paper: urine alkalization. *Clinical Toxicology*. 2004;42(1): 1-26.
- American Academy of Clinical Toxicology, European Association of Poison Centres and Clinical Toxicologists. Position paper: whole bowel irrigation. *Clinical Toxicology*. 2004;42(6): 843-854.
- Bledsoe BE. No more coma cocktails. *JEMS* 2002;54-60
- Fertel BS, Nelson LS, Goldfarb DS. Extracorporeal removal techniques for the poisoned patient: a review for the intensivist. *Journal of Intensive Care Medicine* 25(3) 139-148.
- Frithsen IL, Simpson WM. Recognition and management of acute medication poisoning. *Am Fam Physician*. 2010;81(3):316-323.
- Goldfrank's Toxicologic Emergencies. Nelson LS, Hoffman RS, Lewin NA, Goldfrank LR, Howland MA, Flomenbaum NE, eds. 9th ed., 2011. McGraw-Hill. <http://www.accessemergencymedicine.com/resourceTOC.aspx?resourceID=308>
- Greene SL, Dargan PI, Jones AL. Acute poisoning: understanding 90% of cases in a nutshell. *Postgrad Med J* 2005;81:204–216.
- Gueye PN, Hoffman JR, Taboulet P, Vicaud E, Baud F J: Empiric use of flumazenil in comatose patients: Limited applicability of criteria to define low risk. *Ann Emerg Med* 1996;27:730-735.
- Hamad AE, Al-Ghadban A, Carvounis CP, Soliman M, Coritsidis GN. Predicting the need for medical intensive care monitoring in drug-overdosed patients. *J Intensive Care Med* 2000;15:321-328.
- van Hoving DJ, Veal DJH, Muller GF. Clinical Review: Emergency management of acute poisoning. *African Journal of Emergency Medicine* (2011), doi:10.1016/j.afjem.2011.07.006
- Ngo AS, Anthony CR, Samuel M, Wong E, Ponampalam R. Should a benzodiazepine antagonist be used in unconscious patients presenting to the emergency department? *Resuscitation* (2007) 74, 27-37.
- O'Malley, GF. Emergency department management of the salicylate-poisoned patient. *Emerg Med Clin N Am* 25 (2007) 333–346.
- Sechi G, Serra S. Wernicke's encephalopathy: new clinical settings and recent advances in diagnosis and management. *Lancet Neurol* 2007; 6: 442–55
- Sporer KA, Khayam-Bashi H. Acetaminophen and salicylate serum levels in patients with suicidal ingestion or altered mental status. *Am J Emerg Med* 1996;14:443-447.
- Veiraiah A, Dyas J, Cooper G, et al. Flumazenil use in benzodiazepine overdose in the UK: a retrospective survey of NPIS data. *Emerg Med J* (2011). doi:10.1136/emj.2010.095075
- Worthely LIG. Clinical toxicology: part I. Diagnosis and management of common drug overdosage. *Critical Care and Resuscitation* 2002; 4: 192-215.